Nano-Micro Letters
e-ISSN 2150-5551
CN 31-2103/TB
CORRECTION
https://doi.org/10.1007/s40820-022-00881-x

Cite as
Nano-Micro Lett.
(2022) 14:137

© The Author(s) 2022

Correction to: An endotenon sheath-inspired double-network binder enables superior cycling performance of silicon electrodes

Meifang Jiang[1,2], Pengzhou Mu[1,3], Huanrui Zhang[1 *], Tiantian Dong[1,2], Ben Tang[1], Huayu Qiu[1], Zhou Chen[1], Guanglei Cui[1 *]

Correction to: Nano-Micro Lett. (2022) 14:87
https://doi.org/10.1007/s40820-022-00833-5

The original version of this article unfortunately contained some mistakes.

1. The authors found that the data unit in Fig. 3a–f is wrong.

The corrected version of Fig. 3 is given below:

2. The authors found that explanation of the data lines in Fig. 2e is wrong.

The corrected version of the explanation of Fig. 2e is given below:

The DNB can endure approximately 300% stretching and withstand stress up to about 1.5 MPa, as shown in Fig. 2e.

The original article can be found online at https://doi.org/10.1007/s40820-022-00833-5.

✉ Huanrui Zhang, zhanghr@qibebt.ac.cn; Guanglei Cui, cuigl@qibebt.ac.cn
[1] Qingdao Industrial Energy Storage Research Institute, Qingdao Institute of Bioenergy and Bioprocess Technology, Chinese Academy of Sciences, No. 189 Songling Road, Qingdao 266101, People's Republic of China
[2] Key Laboratory of Marine Chemistry Theory and Technology Ministry of Education, College of Chemistry and Chemical Engineering, Ocean University of China, No. 238 Songling Road, Qingdao 266100, People's Republic of China
[3] University of Chinese Academy of Sciences, Beijing 100190, People's Republic of China

Published online: 29 June 2022



Fig. 3 Cross-sectional SEM images of Si electrodes before (**a**–**c**) and after 30 cycles (**d**–**f**) with pectin, PAA, and DNB, respectively. In situ optical microscopy images of volume change of Si electrodes upon lithiation of first cycle and lithiation/delithiation of 30th cycle with (**g**–**i**) pectin binder, (**j**–**l**) PAA binder, and (**m**–**o**) DNB in assembled model cell module

© The authors https://doi.org/10.1007/s40820-022-00881-x

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.